

## The Rain Well Galvanized Metal Cisterns

Model	Diameter	Eave Height	Peak Height	Gallons
0601-WT-FS	6'	3'-8"	5'-2"	600
0602-WT-FS	6'	7'-3"	8'-9"	1,400
0603-WT-FS	6'	10'-9"	12'-4"	2,100
0604-WT-FS	6'	14'-4"	15'-10"	2,900
0605-WT-FS	6'	17'-11"	19'-4"	3,700
0606-WT-FS	6'	21'-6"	23'-1"	4,200
0601-WT-CHR	6'	3'-8"	5'-2"	600
0602-WT-CHR	6'	7'-3"	8'-9"	1,400
0603-WT-CHR	6'	10'-9"	12'-4"	2,100
0604-WT-CHR	6'	14'-4"	15'-10"	2,900
0605-WT-CHR	6'	17'-11"	19'-4"	3,700
0606-WT-CHR	6'	21'-6"	23'-1"	4,200
0801-WT-FS	8'	3'-8"	5'-5"	1200
0802-WT-FS	8'	7'-3"	8'-11"	2,500
0803-WT-FS	8'	10'-9"	12'-6"	3,800
0804-WT-FS	8'	14'-4"	16'-1"	5,200
0805-WT-FS	8'	17'-11"	19'-8"	6,500
0806-WT-FS	8'	21'-5"	23'-2"	7,900
0801-WT-CHR	8'	3'-8"	5'-5"	1200
0802-WT-CHR	8'	7'-3"	8'-11"	2,500
0803-WT-CHR	8'	10'-9"	12'-6"	3,800
0804-WT-CHR	8'	14'-4"	16'-1"	5,200
0805-WT-CHR	8'	17'-11"	19'-8"	6,500
0806-WT-CHR	8'	21'-5"	23'-2"	7,900
0901-WT-FS	9'	3'-8"	6'-1"	1500
0902-WT-FS	9'	7'-3"	9'-7"	3,100
0903-WT-FS	9'	10'-9"	13'-2"	4,800
0904-WT-FS	9'	14'-4"	16'-9"	6,500
0905-WT-FS	9'	17'-11"	20'-3"	8,400
0906-WT-FS	9'	21'-5"	23'-10"	10,000
0901-WT-CHR	9'	3'-8"	6'-1"	1500
0902-WT-CHR	9'	7'-3"	9'-7"	3,100
0903-WT-CHR	9'	10'-9"	13'-2"	4,800
0904-WT-CHR	9'	14'-4"	16'-9"	6,500
0905-WT-CHR	9'	17'-11"	20'-3"	8,400
0906-WT-CHR	9'	21'-5"	23'-10"	10,000
1201-WT-CHR	12'	3'-8"	7'-3"	2600
1202-WT-CHR	12'	7'-3"	10'-9"	5,600
1203-WT-CHR	12'	10'-9"	14'-4"	8,600
1204-WT-CHR	12'	14'-4"	17'-11"	11,600
1205-WT-CHR	12'	17'-11"	21'-5"	14,967
1206-WT-CHR	12'	21'-5"	25'-0"	18,000

PRICES AVAILABLE UPON REQUEST




CHR- High-Rib Roof



FS - Flat Seam Roof

Model	Diameter	Eave Height	Peak Height	Gallons
1501-WT-CHR	15'	3'-8"	8'-1"	4,100
1502-WT-CHR	15'	7'-3"	11'-8"	8,800
1503-WT-CHR	15'	10'-9"	15'-2"	13,500
1504-WT-CHR	15'	14'-4"	18'-9"	18,100
1505-WT-CHR	15'	17'-11"	22'-4"	22,700
1506-WT-CHR	15'	21'-5"	25'-10"	28,036
1801-WT-CHR	18'	3'-8"	8'-11"	6000
1802-WT-CHR	18'	7'-3"	12'-6"	12,700
1803-WT-CHR	18'	10'-9"	16'-1"	19,400
1804-WT-CHR	18'	14'-4"	19'-7"	26,100
1805-WT-CHR	18'	17'-11"	23'-2"	32,800
1806-WT-CHR	18'	21'-5"	26'-9"	40,372
2101-WT-CHR	21'	3'-8"	9'-10"	8200
2102-WT-CHR	21'	7'-3"	13'-4"	17,300
2103-WT-CHR	21'	10'-9"	16'-11"	26,400
2104-WT-CHR	21'	14'-4"	20'-6"	35,600
2105-WT-CHR	21'	17'-11"	24'-0"	45,838
2106-WT-CHR	21'	21'-5"	27'-7"	54,953
2401-WT-CHR	24'	3'-8"	10'-8"	10700
2402-WT-CHR	24'	7'-3"	14'-3"	22,600
2403-WT-CHR	24'	10'-9"	17'-9"	34,500
2404-WT-CHR	24'	14'-4"	21'-4"	46,500
2405-WT-CHR	24'	17'-10"	24'-10"	58,500
2406-WT-CHR	24'	21'-5"	28'-5"	71,835
2701-WT-CHR	27'	3'-8"	11'-0"	13500
2702-WT-CHR	27'	7'-3"	14'-6"	28,600
2703-WT-CHR	27'	10'-9"	18'-1"	43,700
2704-WT-CHR	27'	14'-4"	21'-8"	58,800
2705-WT-CHR	27'	17'-11"	25'-2"	75,774
2706-WT-CHR	27'	21'-5"	28'-9"	90,842
3001-WT-CHR	30'	3'-8"	11'-10"	16700
3002-WT-CHR	30'	7'-3"	15'-5"	35,300
3003-WT-CHR	30'	10'-9"	18'-11"	54,000
3004-WT-CHR	30'	14'-4"	22'-6"	72,600
3005-WT-CHR	30'	17'-11"	26'-1"	90,000
3006-WT-CHR	30'	21'-5"	29'-7"	107,400
3301-WT-CHR	33'	3'-8"	12'-8"	20200
3302-WT-CHR	33'	7'-3"	16'-3"	42,700
3303-WT-CHR	33'	10'-9"	19'-10"	65,300
3304-WT-CHR	33'	14'-4"	23'-4"	87,900
3305-WT-CHR	33'	17'-11"	26'-11"	110,500
3306-WT-CHR	33'	21'-5"	30'-6"	133,100



<b>Model</b>	<b>Diameter</b>	<b>Eave Height</b>	<b>Peak Height</b>	<b>Gallons</b>
3601-WT-CHR	36'	3'-8"	13'-7"	24,100
3602-WT-CHR	36'	7'-3"	17'-1"	50,900
3603-WT-CHR	36'	10'-9"	20'-8"	77,800
3604-WT-CHR	36'	14'-4"	24'-3"	104,600
3605-WT-CHR	36'	17'-11"	27'-9"	131,400
3606-WT-CHR	36'	21'-5"	31'-4"	158,200
3901-WT-CHR	39'	3'-8"	14'-5"	28,200
3902-WT-CHR	39'	7'-3"	18'-0"	59,700
3903-WT-CHR	39'	10'-9"	21'-7"	91,300
3904-WT-CHR	39'	14'-4"	25'-1"	122,700
3905-WT-CHR	39'	17'-11"	29'-4"	150,000
3906-WT-CHR	39'	21'-5"	32'-1"	158,200
4201-WT-CHR	42'	3'-8"	15'-2"	32,700
4202-WT-CHR	42'	7'-3"	18'-9"	69,200
4203-WT-CHR	42'	10'-9"	22'-4"	105,800
4204-WT-CHR	42'	14'-4"	25'-10"	142,300
4205-WT-CHR	42'	17'-11"	29'-5"	178,800
4206-WT-CHR	42'	21'-5"	33'-0"	215,300
4801-WT-CHR	48'	3'-8"	18'-3"	32,700
4802-WT-CHR	48'	7'-3"	21'-10"	69,200
4803-WT-CHR	48'	10'-9"	25'-5"	105,800
4804-WT-CHR	48'	14'-4"	28'-11"	185,900
4805-WT-CHR	48'	17'-11"	32'-5"	266,000
4806-WT-CHR	48'	21'-5"	36'-0"	346,100
6001-WT-CHR	60'	3'-8"	22'-1"	66,900
6002-WT-CHR	60'	7'-3"	25'-8"	141,500
6003-WT-CHR	60'	10'-9"	29'-3"	216,000
6004-WT-CHR	60'	14'-4"	32'-9"	290,600
6005-WT-CHR	60'	17'-11"	36'-4"	365,300
6006-WT-CHR	60'	21'-5"	39'-9"	440,000



List price includes corrugated, galvanized steel wall staves, 30-degree galvanized steel conical roof, roof eave seal gasket, geo-textile pre-liner, PVC flexible membrane liner and hardware for assembly of the tank kit. List price does not include packaging, freight, taxes, foundations, assembly nor penetrations.

**Penetration Flange Sets sch. 80 PVC**



Penetration flange set includes inner flange, tapped outer flange, gasket, 18-8 stainless steel hex head cap screws and stainless steel neoprene washers.